

issues. Once received the money will be set aside for when it is time to use it and we have 1 year to spend the money. Commissioner Cusolito and Chairman Manseau agree with the Superintendent to submit the approval.

Non-Subscriber Buteau to clarify asked if the \$25,000.00 can still be used if the sewer district is not approved for the \$115,000.00. Per the Superintendent confirmed that the \$25,000.00 can still be used if the \$115,000.00 is not approved. The \$115,000.00 is for asset management to view conditions on the system. As an example, condition on manholes, see if any negative conditions to increase the life expectancy. If approved, it will be done by DPC Engineering. Now is a good time to evaluate because it is at its ½ life expectancy.

Helgerson to be coming into clean grease from the system. After numerous night call ins, the operators have been working diligently, found a solution and corrected the issues.

Investigating with SCADA to have an offsite app to address alarms after hours.

Met with nationalgrid regarding VFD's upgrades. Due to the low usage consumption of the stations, we do not meet the criteria to get free VFD's. The current VFD's are 20 years old.

VI. Date of Next Meeting:

Approval of Next Meeting Date – Commissioner Cusolito motioned to hold the next Sewer Meeting November 16, 2023, at 2:00 P.M at 148 Henshaw St Leicester, MA. Seconded by Chairman Manseau. All in favor. Approved.

VII. ADJOURNMENT - Commissioner Cusolito motioned to adjourn the meeting. Seconded by Chairman Cusolito. All in favor. Approved. The meeting adjourned at 2:47pm.

"This institution is an equal opportunity provider, and employer."